
















Honeywell Aquastat Replacement Options

Honeywell Part No	Description	Fantini Cosmi Part No	Description
<p>L6188A2002</p> 	<p>20 to 95 °C Direct Mount c/w Pocket 4 to 10 °C Differential Dial Set Point Bulb Length 105 mm SPDT 10A 250 VAC Res</p>	<p>C03A3</p> 	<p>10 to 90 °C Direct Mount c/w Pocket 5 to 7 °C Differential Dial Set Point Bulb Length 110 mm SPDT 15A 250 VAC Res</p>
<p>L6188A2010</p> 	<p>40 to 110 °C Direct Mount c/w Pocket 4 to 10 °C Differential Dial Set Point Bulb Length 105 mm SPDT 10A 250 VAC Res</p>	<p>C08A</p> 	<p>0 to 110 °C Direct Mount c/w Pocket 5 to 7 °C Differential Dial Set Point Bulb Length 233 mm SPDT 15A 250 VAC Res</p>
<p>L6188C2016</p> 	<p>25 to 95 °C Direct Mount c/w Pocket Manual Reset Screw Set Point Bulb Length 105 mm SPDT 10A 250 VAC Res</p>	<p>Sontay ST-I-02M</p> 	<p>0 to 110 °C Direct Mount c/w Pocket Manual Reset Screw Set Point Bulb Length 233 mm 16(4)A 24 to 250 VAC</p>

Honeywell Aquastat Replacement Options

Honeywell Part No	Description	Fantini Cosmi Part No	Description
<p>L6188A2028</p> 	<p>20 to 95 °C</p> <p>Remote Mount 1.5 m Capillary</p> <p>**Pocket is Extra**</p> <p>4 to 10 °C Differential</p> <p>Dial Set Point</p> <p>Bulb Length 105 mm</p> <p>SPDT 10A 250 VAC Res</p>	<p>C04A3</p> 	<p>10 to 90 °C</p> <p>Remote Mount 1.0 m Capillary</p> <p>**Pocket is Extra**</p> <p>5 to 7 °C Differential</p> <p>Dial Set Point</p> <p>Bulb Length 73.5 mm</p> <p>SPDT 15A 250 VAC Res</p>
		<p>C04E3</p> 	<p>40 to 120 °C</p> <p>Remote Mount 1.0 m Capillary</p> <p>**Pocket is Extra**</p> <p>4 to 8 °C Differential</p> <p>Dial Set Point</p> <p>Bulb Length 73.5 mm</p> <p>SPDT 15A 250 VAC Res</p>
<p>L6188C2008</p> 	<p>70 to 140 °C</p> <p>Remote Mount 1.5 m Capillary</p> <p>**Pocket is Extra**</p> <p>Manual Reset</p> <p>Screw Set Point</p> <p>Bulb Length 105 mm</p> <p>SPDT 10A 250 VAC Res</p>	<p>Sontay ST-C-01M</p> 	<p>50 to 140°C</p> <p>Remote Mount 1.5 m capillary</p> <p>Bulb size 6.5mm dia x 67mm</p> <p>Manual reset.</p> <p>Supplied with a cable gland.</p> <p>16(4)A 24 to 250 VAC</p>

Honeywell Aquastat Replacement Options

Honeywell Part No	Description	Fantini Cosmi Part No	Description
<p>L6189A2043B</p> 	<p>40 to 110 °C Panel Mount 1.5 m Capillary **Pocket is Extra** 4 to 10 °C Differential Dial Set Point Bulb Length 105 mm SPDT 10A 250 VAC Res</p>	<p>No Panel Mount Options, refer to Remote mount models on Page 2</p>  <p>Maybe C04E3</p>	
<p>L6189C2007B</p> 	<p>40 to 110 °C Panel Mount 1.5 m Capillary **Pocket is Extra** Manual Reset Screw Set Point Bulb Length 105 mm SPDT 10A 250 VAC Res</p>	<p>No Panel Mount Options, refer to Remote mount models on Page 2</p>  <p>Maybe ST-C-01M</p>	

Honeywell Aquastat Replacement Options

Honeywell Part No	Description	Fantini Cosmi Part No	Description
<p>L6190B2006</p> 	<p>25 to 95 °C Strap On, Pipe Surface Mount 2m Mounting Strap 8 °C Differential Screw Set Point SPDT 10A 250 VAC Res</p>	<p>C01A</p> 	<p>20 to 90 °C Strap On, Pipe Surface Mount Spring supplied 8 °C Differential Dial Set Point SPDT 15A 250 VAC Res</p>
<p>L6190C2004</p> 	<p>25 to 95 °C Strap On, Pipe Surface Mount 2m Mounting Strap Manual Reset Screw Set Point SPDT 10A 250 VAC Res</p>	<p>C01AM</p> 	<p>20 to 90 °C Strap On, Pipe Surface Mount Spring supplied Manual Reset Screw Set Point SPDT 15A 250 VAC Res</p>